




DOOR HINGES

Stainless Steel Ball Bearing Hinges CE 13




4 7 6 1* 1 4 0 13

LENGTH	WIDTH	THICKNESS
4"	3"	3mm
4"	3.5"	3mm
4"	4"	3mm
4.5"	4"	3.4mm
5"	3"	3mm
6"	3"	3mm

All Hinges in Ball Bearing series are in standard stainless steel 201 grade also available in 304 on request

Stainless Steel Ball Bearing Hinges CE 11




3 7 4 0 1 4 0 11

HEIGHT	WIDTH	THICKNESS
4"	3"	3mm
4"	3"	2.5mm
4"	2.5/8"	2mm
5"	2.5/8"	2mm
3"	2"	2.2mm
3"	2"	2mm
4"	2.5/8"	2.5mm
4"	3"	2mm

All Hinges in Ball Bearing series are in standard stainless steel 201 grade also available in 304 on request

Stainless Steel Ball Bearing Hinges CE 7



2 7 2 0 1 4 0 7

HEIGHT

4"
4"
4"
5"
3"
3"
4"
4"

WIDTH


3"
3.5"
2.5/8"
2.5/8"
2"
2"
2.5/8"
3"

THICKNESS

3mm
2.5mm
2mm
2.5mm
2.2mm
2mm
2.5mm
2mm



All Hinges in Ball Bearing series are in standard stainless steel 201 grade also available in 304 on request

Stainless Steel Premium Plus Hinges





LENGTH	WIDTH	WIDTH 1	WIDTH 2	THICKNESS
75	38	17	21	1.5
75	48	24	24	1.7
75	50	25	25	2.25
100	38	21	21	1.5
100	58	29	29	1.8
100	62	31	31	2.25
125	65	32.5	32.5	1.85
125	66	33	33	2.30

All Hinges shown above are in standard stainless steel 201 grade also available in 304 on request

Brass Bearing Hinges


LENGTH	WIDTH	THICKNESS
100	75	3
125	75	3
150	75	3
100	75	2.5

Brass DSW Hinges


LENGTH	WIDTH	THICKNESS
75	50	2
100	67	2
100	67	3
70	50	2.5
100	75	3
100	75	4
125	75	3

Hinges Without Washer Available In Following Sizes

LENGTH	WIDTH	THICKNESS
38	25	1.4
50	29	1.4
50	32	1.4
64	35	1.4
75	40	1.5
75	50	2
100	60	2

HEAVY DUTY BRASS HINGES AVAILABLE IN 3" & 4" WITH PHOSPHOR BRONZE WASHER

D. P. GARG & CO. PVT. LTD.

**An ISO : 9000, 14000, 18000 Certified Company
A Government Of India Recognized Export House**

B-210 B, Phase - 2, Noida - 201305 (U.P.) INDIA

Ph.: +91-120-2460071, 2460085 to 87

Fax : +91-120-2460083, 2424519, 2424452

Email : info@garglocks.co.in

Website : www.garglocks.co.in